



ACOS GRAF

FÁBRICA DE MÁQUINAS GRÁFICAS, LDA.

www.acosgraf.com



UV DRYER 2X LAMP + CROSS OVER + IR + COLD



The machine UVDRYER 2xLAMP + CROSS OVER + IR + COLD is a drying tunnel suitable to dry UV inks. The UVDRYER 2xLAMP + CROSS OVER + IR + COLD is equipped with two UV high performance lamps able to dry the hardest job printed with UV ink. The LAMP UVDRYER 2xLAMPS + CROSS OVER + IR + COLD is fitted with CROSS OVER on the entry + 3x infrared lamp box + 1 meter of ambient air pulsating after UV lamps.

www.acosgraf.com

Note: As características podem ser alteradas sem aviso prévio




ACOS GRAF

FÁBRICA DE MÁQUINAS GRÁFICAS, LDA.

www.acosgraf.com



Equipped with 2x high performance UV lamps



"CROSS OVER" equipped with pneumatic cylinders to control UP/DOWN



3x IR lamp box with power adjustment between 20% to 100%

Control panel with 7 inches touch screen

PRODUCT DESCRIPTION

- Equipped with 2x high performance UV lamps;
- Electronic transformer for adjusting the UV lamp power from 20% to 100%;
- Air ambient pulsating after passing through UV lamps to lower sheet temperature;
- IR box with 3x lamps with individual ON / OFF to provide thermal touch to the material;
- Possibility of adjusting between 20% and 100% of the power supplied by the IR lamps;
- UV lamp cocoon closed below by quartz crystals to prevent heat from passing through the material;
- Cassette-type UV lamp system for easy assistance, lamp removal and cleaning;
- Anti-static Teflon mesh belt;
- Electronic belt speed variator;
- High performance fan for cooling the UV lamp;
- 7-inch touch screen for UV lamp control with indicators of service menus that includes several information to have a correct UV lamp operation;
- Digital indicator of actual belt speed for easy operator adjustment;
- Vacuum to hold sheet down in the entire UV tunnel area;
- "CROSS OVER" at the tunnel entrance equipped with vacuum and up / down through pneumatic cylinders;

UV DRYER 2x Lamp + Cross Over + IR + Cold	Uni	UVDR 2x90 + Cross + IR + 1M	UVDR 2x110 + Cross + IR + 1M
UV lamp length	Cm	90	110
Maximum UV curing width	Cm	80	100
Belt width	Cm	90	110
Total power install in UV lamp	kW	2* 10,8	2* 13,2
Total power install in IR lamps	W	3* 2000	3* 2500
Cooling length	Cm	100	100
CROSS OVER length	Cm	72	72
Total power install	Kw	30	36
Voltage	V	3x 400	3x 400

Note: As características podem ser alteradas sem aviso prévio